

AMU BRASS

HOMEPAGE | ABOUT US | PRODUCTS | CONTACT US | RESOURCES



WORLDWIDE EXPORT

OUR PRODUCTS

BRASS CABLE GLANDS BRASS BW CE E1W A2 CABLE GLANDS INDIA

Following Brass Cable Glands are Available :

We offer a wide range of **Brass cable glands** and cable accessories

All cable glands are available with Accessories and Earth Tags.

PG Brass Cable Glands

Features

- To DIN - 46320/46255
- Available with strain relief facility with round or hex intermediate sockets. Available in long and short antithreads
- Glands Size : PG 9 TO PG 56



BW 2 Parts Brass Cable Glands

Features

- To BS 6121 pt. 1
- Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables. Used in dry indoor conditions
- No loose parts and easy to install
- Save time & money
- Can be supplied with integral earth facility
- Gland Size : 20 mm to 75 mm (S & L)



BW 3 Parts Brass Cable Glands

Features

- To BS 6212 pt. 1
- Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables. Used in indoor conditions
- Separate locking ring helps to clamp the armour properly
- Can be supplied with integral earth facility
- Gland Size : 20 mm to 75 mm (S & L)



BW 4 Parts Brass Cable Glands

Features

- To BS 6121 pt. 1
 - Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables. Used in dry indoor conditions
 - No loose parts and easy to install
 - Save times & money
 - Can be supplied with integral earth facility
 - Gland Size : 20 mm to 75 mm (S & L)
-



CW Parts Brass Cable Glands

Features

- To BS 6121 pt. 1
 - Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables
 - Outer seal grips sheath of cable for use in most climatic conditions
 - Weather proof and water proof design
 - Has separate armour lock rings, can be supplied with integral earth facility
 - Gland Size : 20 mm to 75 mm (S & L)
-



CW 3 Parts Brass Cable Glands

Features

- To BS 6121 pt. 1

- ❑ Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables
- ❑ Outer seal grips sheath of cable for use in most climatic conditions
- ❑ Weather proof and water proof design
- ❑ Has separate armour lock rings, can be supplied with integral earth facility
- ❑ Gland Size : 20 mm to 75 mm (S & L)



CW 4 Parts Brass Cable Glands

Features

- ❑ To BS 6121 pt. 1
- ❑ Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables
- ❑ Outer seal grips sheath of cable for use in most climatic conditions
- ❑ Weather proof and water proof design
- ❑ Has separate armour lock rings, can be supplied with integral earth facility
- ❑ Gland Size : 20 mm to 75 mm (S & L)



A1 / A2 Brass Cable Glands

Features

- ❑ To BS 6121 pt. 1
- ❑ Suitable for unarmoured or rubber sheathed cables
- ❑ Used for indoor as well as outdoor applications
- ❑ Gland Size : M16 M20 M25 M32 M40 M50 M63 M75 M90



E1W Brass Cable Glands

Features

- ❑ To BS 6121 pt. 1
- ❑ Most suitable for SWA, plastic or rubber (Elastomer) sheathed cables
- ❑ Outer seal grips sheath of cable for use in most climatic conditions
- ❑ Weather proof and water proof design
- ❑ Has separate armour lock rings, can be supplied with integral earth facility
- ❑ Gland Size : 20 mm 25mm 32mm 40mm 50mm 63mm 75 mm (S & L) 90mm



Brass Lock Nuts

Features


- ❑ Brass hex lock nuts hexagonal Brass lock nuts are available in size from 16 mm to 75 mm in Brass and Galvanized Steel



TRS Type Brass Cable Gland

Features

- ❑ While not manufactured to a specific standard, are accepted by many contractors and users as satisfactory method of securing flexible cables



Alco Type Brass Cable Glands

Features

- ❑ Used with SWA, plastic and rubber sheathed cables
- ❑ Used in indoor conditions
- ❑ Inner ring ensures positive armour clamp and earth continuity.
- ❑ Gland Size : G 204, G206, G254, G256, G 324, G 326, G 405, G 503, G 505 G 636, G 753, G 755



Brass Earthing Tags

Features

- ❑ Are available from 16 mm to 75 mm in Brass
It ensure earth continuity between the electrical equipment and the gland
- ❑ Size:16mm 20mm 25mm 32mm 40mm 50mm 63mm 75mm 90mm



Manufacturer and Exporter of BRASS CABLE GLANDS Free Cutting Brass Tags, Brass Cable Glands, Lock Nuts, Earthing Rods:

- Free Cutting Brass IS 319 type (i) or
- Free Cutting Brass as per BS 249 type (i) or
- High Grade Free Cutting Brass or
- Any special Brass Material Composition as per customers requirement.

Threads:

- ISO Metric (MM Threads).
- BA Threads
- BSW or ET Threads (Inches)
- Any threads as per custom design.

Finish and Coating:

- Natural, Nickle Plated or any coating as per customer specification.

We also offer indoor and outdoor Brass cable gland kits Brass cable gland packs for SWA cables Armoured cables Brass marine cable glands to JIS standards for ship decks CXT cable glands for Sy and YY rubber Eastover cables

Other Terms : Brass, cable glands, brass cable glands, Brass BW Cable glands ,Brass Cable glands,CW cable glands , E1w cable glands, A2 cable glands, Cable glands, Brass ,JIS Standard ,marinecable glands ,Brass ,cable gland kits ,cable gland packs, UK ,SWA cable glands, Armoured cable glands ,cable accessories,cable glands, Brass lock nuts, CXT cable glands, earth tags ,Manufacturer, Brass cable glands manufacturers, Brass cable glands india, Brass cable glands jamnagar, indian manufacturers

Brass BW 2 Parts Cable Glands | Brass BW3 Parts Cable Glands | Brass CW Cable Glands | Brass CX Type Cable Glands | Brass A2 Type Cable Glands | Brass E1W Cable Glands | Brass CXT Cable Glands | Brass Marine Cable Glands | Brass Metric Strain Relief Cable Glands

[Homepage](#) | [About Us](#) | [Brass Products](#) | [Brass Resources](#) | [Contact Us](#)

Neutral Links Brass Neutral bars | Brass Inserts | Brass Nuts | Brass Anchors | Brass Fasteners | Brass Bolts
Brass Hex Nuts | Brass Washers | Jam Nuts BrassCoarse / Fine, Thread | BRASS Turned Parts | Copper Fittings Copper parts

- [Brass Neutral Links](#) [Brass Neutral Bars](#) • [Brass Inserts](#) • [Brass Nuts](#) • [Brass Anchors](#) • [Brass Fasteners](#)
- [Brass Turned Parts](#) • [Brass Cable Glands](#) • [Brass Hose Fittings](#) • [Brass Casting](#) [Non-Ferrous Castings](#)
- [Copper Fittings and Copper Parts](#) • [Copper Lugs Terminals](#) • [Copper - Bronze Grounding Clamps](#) • [Copper - Bronze Grounding Rods](#) • [Stainless Steel Fasteners](#) • [Stainless Steel Hose Fittings](#) • [Brass Screws](#) • [Bronze Fittings](#)
- [Bronze Casting](#) • [Brass PPR fittings](#) • [Brass Washers](#) [Copper Washers](#) • [Brass Terminals](#) [Battery terminals](#) • [Brass Connectors](#) • [Brass Terminal Blocks](#)

Contact Us

Amu Brass Parts and Components

**GIDC, Shanker Tekri Udoygnagar,
Jamnagar 361004
Gujrat INDIA**

Phone : +91-22-43449300, +91-22-43449323

Fax: +91-22-22834046, +91-22-40023682

Email: mktg@amubrass.com

Visit Our Website : www.amubrass.com