

# AMU BRASS


[HOMEPAGE](#)
[ABOUT US](#)
[PRODUCTS](#)
[CONTACT US](#)
[RESOURCES](#)


WORLDWIDE EXPORT




## OUR PRODUCTS

### *Slotted Hex Nuts*



Slotted Nuts are used for general purpose fastening and locking. The slots are for the insertion of a cotter pin or safety wire to secure the nut when used with a drilled shank fastener. The slotted and castle styles are both interchangeable with the slotted design now the preferred style.

<b>Finish</b>	Zinc, Cadmium, Nickel Silver & Chrome Plating, Black Oxide, Anodize, Passivation and Heat Treating.
<b>Material</b>	BS 2874 - CZ 121 Pb3 CZ 122 UNS C36000 CDA 360 DZR Brass BS 2874 - CZ 131 CW 614 N EN 12164 BS 2874 - CZ 114 BS 2874 - CZ 115



Nominal Size or Basic Major Diameter of Thread		F		G			H			T		S		Runout of Bearing Surface Max
		Width Across		Width Across Flats Corners			Thickness			Unslotted Thickness		Width of Slot		
		Basic	Max	Min	Max	Min	Basic	Max	Min	Max	Min	Max	Min	
1/4"	0.2500	7/16"	0.438	0.428	0.505	0.488	7/32"	0.226	0.212	0.014	0.012	0.100	0.070	0.015
5/16"	0.3125	1/2"	0.500	0.489	0.577	0.557	17/64"	0.273	0.258	0.180	0.160	0.120	0.090	0.016
3/8"	0.3750	9/16"	0.562	0.551	0.650	0.628	21/64"	0.337	0.320	0.210	0.190	0.150	0.120	0.017
7/16"	0.4375	11/16"	0.688	0.675	0.794	0.768	3/8"	0.385	0.365	0.230	0.210	0.150	0.120	0.018
1/2"	0.5000	3/4"	0.750	0.736	0.866	0.840	7/16"	0.448	0.427	0.290	0.270	0.180	0.150	0.019
9/16"	0.5625	7/8"	0.875	0.861	1.010	0.982	31/64"	0.496	0.473	0.310	0.290	0.180	0.150	0.020
5/8"	0.6250	15/16"	0.938	0.922	1.083	1.051	35/64"	0.559	0.535	0.340	0.320	0.240	0.180	0.021
3/4"	0.7500	1-1/8"	1.125	1.088	1.299	1.240	41/64"	0.665	0.617	0.400	0.380	0.240	0.180	0.023
7/8"	0.8750	1-5/16"	1.312	1.269	1.516	1.447	3/4"	0.776	0.724	0.520	0.490	0.240	0.180	0.025
1"	1.0000	1-1/2"	1.500	1.450	1.732	1.653	55/64"	0.887	0.831	0.590	0.560	0.300	0.240	0.027
1-1/8"	1.1250	1-11/16"	1.688	1.631	1.949	1.859	31/32"	0.999	0.939	0.640	0.610	0.330	0.240	0.030
1-1/4"	1.2500	1-7/8"	1.875	1.812	2.165	2.066	1-1/16"	1.094	1.030	0.700	0.670	0.400	0.310	0.033
1-3/8"	1.3750	2-1/16"	2.062	1.994	2.382	2.273	1-11/64"	1.206	1.138	0.820	0.780	0.400	0.310	0.036
1-1/2"	1.5000	2-1/4"	2.250	2.175	2.598	2.480	1-9/32"	1.317	1.245	0.860	0.820	0.460	0.370	0.039

Other Terms : **Slotted Hex Nuts, Brass Nuts, Brass Nut, Brass, Nuts, Nut, Slotted Hex Nuts, Hex Nuts Slotted, Hex, Nuts, Nut, Slotted, Slotted Nuts, Slotted Nut, Hex Nuts, Brass Jam Nuts, Jam Nuts, Brass Weld Nuts, Weld Nuts, Hex Nut, Brass Flange Nuts, Flange Nuts, Nylon Insert Lock Nuts, Eye Coupling Nuts, Eye Nuts Coupling, Brass Heavy Hex Jam Nuts, Brass Jam Nuts Heavy Hex, Small Pattern Hex Nuts, Hex Nuts Small Pattern, Brass Square Nuts, Square Nuts, Brass Wing Nuts, Wing Nuts**

**Brass Machine Screw Nuts | Nylon Insert Brass Nyloc nuts Locknuts | Brass Hex Nuts | Brass Hex Hexagonal Jam Nuts | Brass Cap Nut | Brass Jam Nuts | Welding Nuts | Brass Acorn Nuts | Brass Flange Nuts Flanged Back nuts | DIN 557 Brass Square Nut | Slotted Hex Nuts | Brass Coupling Nuts Hex Nuts | Castle Nuts | Brass Heavy Hex Nuts | Heavy Hex Jam Nuts | Eye Coupling Nuts | Small Pattern Hex Nuts | DIN 315 Brass Wing Nuts**

[Homepage](#) | [About Us](#) | [Brass Products](#) | [Brass Resources](#) | [Contact Us](#)

Neutral Links Brass Neutral bars | Brass Inserts | Brass Nuts | Brass Anchors | Brass Fasteners | Brass Bolts  
Brass Hex Nuts | Brass Washers | Jam Nuts Brass nuts Coarse / Fine nuts, Thread | BRASS Turned Parts | Copper Fittings Copper parts India Jamnagar

- [Brass Neutral Links Brass Neutral Bars](#) • [Brass Inserts](#) • [Brass Nuts](#) • [Brass Anchors](#) • [Brass Fasteners](#)
- [Brass Turned Parts](#) • [Brass Cable Glands](#) • [Brass Hose Fittings](#) • [Brass Casting Non-Ferrous Castings](#)
- [Copper Fittings and Copper Parts](#) • [Copper Lugs Terminals](#) • [Copper - Bronze Grounding Clamps](#) • [Copper - Bronze Grounding Rods](#) • [Stainless Steel Fasteners](#) • [Stainless Steel Hose Fittings](#) • [Brass Screws](#) • [Bronze Fittings Bronze Casting](#)
- [Brass PPR fittings](#) • [Brass Washers Copper Washers](#) • [Brass Terminals Battery terminals](#) • [Brass Connectors](#) • [Brass Terminal Blocks](#)

## Contact Us

### **Amu Brass Parts and Components**

**GIDC, Shanker Tekri Udoygnagar,  
Jamnagar 361004  
Gujrat INDIA**

Phone : +91-22-43449300, +91-22-43449323

Fax: +91-22-22834046, +91-22-40023682

Email: [mktg@amubrass.com](mailto:mktg@amubrass.com)

**Visit Our Website : [www.amubrass.com](http://www.amubrass.com)**